M-RS125
C72
1901

Columbia University. College of Physician
and Surgeons. Vanderbilt clinic.
Vanderbilt clinic formulary.

THE LIBRARIES

COLUMBIA UNIVERSITY

MEDICAL LIBRARY

Columbia University. College
of Physicians and Surgeons.

VANDERBILT CLINIC FORMULARY

1901

M = COLLECTION

Spec-Coll
XL6

RS
125
.C72
1901

Prescriptions in this formulary are written for single doses only, in the case of preparations for internal use, and for any convenient quantity in the case of preparations for external and local use. In prescribing, the physician should write in the patient's prescription book the date, name of prescription as stated in the formulary, and directions for use. The apothecary will dispense a quantity sufficient for not more than four days unless more is required, in which case the physician should write below his prescription the words "double quantity."

In order to lessen the chances of mistake in administering medicine, the use of "drop" doses should be avoided as much as possible.

To facilitate the prompt handling of prescriptions in the Apothecary's Department, and thus save annoying delay to patients, it is of much importance that the formulary be adhered to in prescribing.

Digitized by the Internet Archive
in 2011 with funding from
Open Knowledge Commons

http://www.archive.org/details/vanderbiltclinic1901vand

VANDERBILT CLINIC FORMULARY

Part I

Preparations for Internal Use

RESPIRATORY SYSTEM

Ammonium Carbonate Mixture No. 1

℞ Ammonii Carb.
Ext. Glycyrrhizæ .....aa gr j
Syr. Ipecac.....ɱiv
Syr. Senegæ
Syr. Tolut.....aa ɱviij
Aq. Cinnamomi.....q.s. ad fl. ʒj
M.

Ammonium Carbonate Mixture No. 2

℞ Ammonii Carb ..... gr. j
Ext. Senegæ Fl.
Ext. Scillæ Fl..... ...aa ♏ij
Tinct. Opii Camph ..... ♏xij
Syr. Tolut..... .....q.s. ad fl. ℥j
M.

Ammonium Chloride Mixture No. 1

℞ Ammonii Chlorid .. ..gr. v
Spir. Chloroform..... ...♏iij
Syr. Tolut.
Syr. Simp..... .....aa fl. ℥ss
Aq. Destil..... .....q.s. ad fl. ℥ij
M.

Ammonium Chloride Mixture No. 2

℞ Morphinæ Sulph..... gr. $\frac{1}{30}$
Mist. Ammon. Chlorid. No. 1...q.s. ad fl. ℥ij
M.

Antimonial Mixture

℞ Vin. Antimonii
Vin. Ipecacuanhæ
Spir. Ætheris Nit. .....aa ♏x
Liq. Ammonii Acetat..... q.s. ad fl. ℥j
M.

Codeine Mixture

℞ Codeinæ Sulph. ..... gr. ¼
Ac. Hydrocyanic. Dil. ..... ♏iij
Ammon. Chlorid. ..... gr. iij
Syr. Pruni Virg. ..... q.s. ad fl. ℥j
M.

Cubeb Compound Mixture

℞ Ext. Cubebæ Fl. ..... ♏vijss
Morphinæ Sulph. ..... gr. ½
Ol. Ricini
Syr. Pruni Virg.
Syr. Ipecac. ..... aa ♏x
Syr. Tolut. ..... q.s. ad fl. ℥j
M.

Creosote Mixture No. 1

℞ Creosoti ..... ♏j
Tinct. Gentianæ Comp. ..... q.s. ad fl. ℥j
M.

Creosote Mixture No. 2

℞ Creosoti
Spir. Frumenti ..... aa ♏ij
M. S. Increase slowly.

Emphysema Mixture

℞ Potas. Iodidi ..... gr. v
Morph. Sulph .... gr. ½
Tinct. Belladonnæ .. ... ℥v
Spir. Ætheris Nit. Comp. ... ℥xlv
Aq. Destil ..... q.s. ad fl. ℨss
M.

Grindelia Mixture

℞ Ext. Grindeliæ Fl ..... ℥xv
Syr. Sarsaparillæ Comp ..... q.s. ad fl. ℨj
M.

Iodide Cough Mixture

℞ Potas. Iodidi ..... gr. xv
Tinct. Opii Deod ..... ℥v
Vin. Ipecac ..... ℥xv
Syr. Pruni Virg.
Aq. Destil ..... aa q.s. ad fl. ℨij
M.

Antimonial Tablet

℞ Antimonii et Potassii Tart ..... gr. 1/16
Pulv. Opii ..... gr. ⅛
Hydrarg. Chlorid. Mit. ..... gr. ½
M.

Bronchitis Tablet (Delafield)

℞ Ext. Belladonnæ ..... gr. $\frac{1}{40}$
Pulv. Ipecac..... .....gr. $\frac{1}{20}$
Pulv. Ipecac. et Opii ....gr. $\frac{1}{10}$
Quininæ Sulph..... .. ..gr. $\frac{1}{4}$
M.

Codeine Sulphate Tablet..... ... gr. $\frac{1}{4}$

Heroin Tablet..... .....gr. $\frac{1}{12}$

Ipecacuanha Tablet .... gr. $\frac{1}{10}$

Ipecacuanha Tablet.....gr. $\frac{1}{4}$

Ipecac. and Opium Tablet (Dover) ...gr. ijss

CIRCULATORY SYSTEM

Convallaria Mixture

℞ Ext. Convallariæ Fl.....ɱlxx
Ext. Digitalis Fl.....ɱlij
Potas. Iodidi..... ...gr. v
Syr. Sarsaparillæ Comp.....q.s. ad fl. ʒij
M.

Digitalis Mixture

℞ Tinct. Digitalis
Tinct. Nuc. Vomicæ.....aa ɱlv
Tinct. Cinch. Comp ..... q.s. ad fl. ʒj
M.

Strophanthus Mixture

℞ Tinct. Strophanthi ..... ℥lv
Tinct. Gentianæ Comp.....q.s. ad fl. ℥j
M.

Aconite, Fluid Extract, Tablet .....℥lj

Aconitine Tablet ....gr. $\frac{1}{100}$

Caffeine, Citrated, Tablet.....gr. $\frac{1}{2}$

Caffeine, Citrated, Tablet..... gr. j

Caffeine, Citrated, Tablet .....gr. ij

Digitalin Tablet..... .....gr. $\frac{1}{100}$

Digitalin Tablet..... .. ..gr. $\frac{1}{50}$

Digitalis, Fluid Extract, Tablet.....℥lj

Nitroglycerine Tablet.....gr. $\frac{1}{200}$

Nitroglycerine Tablet.....gr. $\frac{1}{100}$

Nitroglycerine Tablet.. ....gr. $\frac{1}{50}$

Alkaline Mixture

℞ Magnesii Sulph..... ....gr. vijss
Magnesii Carb..... .....gr. iv
Spir. Ammoniæ Aromat..... .... ♏iv
Aq. Destil..... q.s. ad fl. ʒj
M.

Astringent Mixture

℞ Tinct. Kino
Tinct. Krameriæ
Tinct. Catechu .....aa ♏xx
M.

Antifermentative Mixture

℞ Glyceriti Ac. Carbol. (1–5) .....♏v
Aq. Destil.....q.s. ad fl. ʒj
M.

Aspidium Mixture

℞ Oleores. Aspidii..... .....fl. ʒj
Spir. Chloroformi.....fl. ʒss
Glycerini
Syr. Zingiber.....aa q.s. ad fl. ℥ss
M.

Bismuth and Chalk Mixture

℞ Bismuthi Subnit.
Cretæ Præp. ..... aa gr. iv
Tinct. Opii Camph. ..... ℥iv
Aq. Destil. ..... q.s. ad fl. ʒj
M.

Bismuth and Opium Mixture

℞ Bismuthi Subnit. ..... gr. v
Tinct. Opii Deod. ..... ℥j
Aq. Cinnamomi. ..... q.s. ad fl. ʒj
M.

Bismuth and Pepsin Mixture

℞ Pepsini Sacch. ..... gr. iv
Mist. Bismuthi et Cretæ ..... q.s. ad fl. ʒj
M.

Bromide and Chloral Mixture

℞ Sodii Bromidi. ..... gr. x
Chloral. ..... gr. v
Aq. Menthæ Pip. ..... q.s. ad fl. ʒj
M.

Bromide and Hyoscyamus Mixture

℞ Potas. Bromidi ..... gr. xv
Tinct. Hyoscyami ..... fl. ʒss
Aq. Menthæ Pip. ..... q.s. ad fl. ʒj
M.

Capsicum Mixture

℞ Tinct. Capsici
Tinct. Nuc. Vomicæ ....aa ℥ij
Tinct. Zingiber .....℥vj
Tinct. Cinch. Comp.....q.s. ad fl. ℥j
M.

Chloral Mixture

℞ Chloral .. ..gr. ij
Spir. Chloroformi .....℥x
Aq. Menthæ Pip ....q.s. ad fl. ℥j
M.

Chloroform and Belladonna Mixture

℞ Spir. Chloroform..... .....℥x
Tinct. Belladonnæ..... .....℥v
Potas. Bromidi.....gr. xv
Aq. Menthæ Pip.....q.s. ad fl. ℥j
M.

Cholera Mixture ("Sun")

℞ Spir. Camphoræ
Spir. Menthæ Pip.
Tinct. Capsici
Tinct. Rhei
Tinct. Opii..... .....aa ℥xij
M.

Diarrhœa Mixture (Squibb)

℞ Spir. Camphoræ
Tinct. Capsici
Tinct. Opii..... aa ♏xij
Chloroform. Pur..... ♏v
Spir. Vin. Rect.....q.s. ad fl. ℥j
M.

Flatulence Mixture

℞ Chloroform. Pur ..... ♏¼
Aq. Menthæ Pip..... q.s. ad fl. ℥j
M.

Hydrastis Mixture

℞ Ext. Hydrastis Fl..... .....fl. ℥ss
Ext. Rhamni Pursh. Fl. .....♏x
Glycerini.....q.s. ad fl. ℥j
M.

Hydrochloric Acid Mixture

℞ Ac. Hydrochlor. Dil.....♏xx
Aq. Menthæ Pip..... .....q.s. ad fl. ℥j
M.

Hydrochloric Acid and Pepsin Mixture

℞ Ac. Hydrochlor. Dil.....♏xx
Pepsini Sacch.....gr. v
Glycerini .....♏v
Aq. Menthæ Pip.....q.s. ad fl. ℥j
M.

Hydrochloric Acid and Resorcin Mixture

℞ Ac. Hydrochlor. Dil. ....ɱlxx
Resorcini Resub.....gr. v
Aq. Menthæ Pip .... q s. ad fl. ʒj
M.

Nitrohydrochloric Acid Mixture No. 1

℞ Ac. Nitrohydrochlor. Dil... .....ɱlx
Tinct. Nuc. Vomicæ.....ɱlv
Tinct. Cinch. Comp..... .. q.s. ad fl. ʒj
M.

Nitrohydrochloric Acid Mixture No. 2

℞ Ac. Nitrohydrochlor. Dil..... ...ɱijss
Tinct. Nuc. Vomicæ ....ɱlj
Tinct. Calumbæ .....ɱlx
Syr. Limonis..... .....ɱlxx
Aq. Destil..... ...q.s. ad fl. ʒj
M.

Rhubarb and Soda Mixture

℞ Pulv. Rhei.....gr. ij
Sodii Bicarb..... .....gr. v
Pulv. Ipecac.....gr. ¼
Aq. Menthæ Pip.....q.s. ad fl. ʒij
M.

Rhubarb and Soda Compound Mixture No. 1

℞ Pulv. Rhei ..... gr. ij
Sodii Bicarb ..... gr. v
Pulv. Ipecac ..... gr. ¼
Tinct. Nuc. Vomicæ ..... ♏v
Aq. Menthæ Pip ..... q.s. ad fl. ℥ij
M.

Rhubarb and Soda Compound Mixture No. 2

℞ Ext. Rhamni Pursh. Fl. ..... ♏xv
Mist. Rhei et Sodæ Co. No. 1 .... q.s. ad fl. ℥ij
M.

Stomachic Mixture

℞ Tinct. Nuc. Vomicæ ..... ♏x
Tinct. Gentianæ Comp ..... fl. ℥ss
Aq. Chloroformi ..... q.s. ad fl ℥ij
M.

Sulphocarbolate Mixture

℞ Sodii Sulphocarb ..... gr. x
Tinct. Nuc. Vomicæ ..... ♏v
Tinct. Cubebæ ..... ♏x
Glycerini ..... ♏xv
Aq. Destil ..... q.s. ad fl. ℥j
M.

Aloin Compound Tablet No. 1

℞ Aloin.....gr. $\frac{1}{5}$
Ext. Belladonnæ.....gr. $\frac{1}{8}$
Strychninæ Sulph.....gr. $\frac{1}{60}$
M.

Aloin Compound Tablet No. 2

℞ Aloin.....gr. $\frac{1}{5}$
Ext. Belladonnæ.....gr. $\frac{1}{8}$
Strychninæ Sulph.....gr. $\frac{1}{60}$
Pulv. Ipecac.....gr. $\frac{1}{16}$
M.

Aloin Compound Tablet No. 3

℞ Aloin
Ext. Belladonnæ
Ext. Nuc. Vomicæ
Resinæ Podophylli.....aa gr. $\frac{1}{10}$
M.

Calomel and Soda Tablet No. 1

℞ Hydrarg. Chlor. Mit.
Sodii Bicarb.....aa gr. j
M.

Calomel and Soda Tablet No. 2

℞ Hydrarg. Chlor. Mit.
Sodii Bicarb.....aa gr. ij
M.

Calomel and Jalap Powder

℞ Hydrarg. Chlor. Mit..... .....gr. v
Pulv. Jalapæ Comp..... ....gr. xx
M.

Castor Oil and Salol Capsule No. 1

℞ Ol. Ricini.....ℳijss
Salol..... ... .gr. ijss
M.

Castor Oil and Salol Capsule No. 2

℞ Ol. Ricini.. .....ℳv
Salol..... .....gr. v
M.

Cerium and Soda Powder

℞ Cerii Oxalat.....gr. x
Sodii Bicarb..... ...gr. xx
M.

Chalk and Soda Powder

℞ Cretæ Præp.
Sodii Bicarb.
Magnesii Carb..... aa gr. iij
M.

Lead and Opium Pill

℞ Plumbi Subacetat.....gr. ij
Pulv. Opii.....gr. j
M.

Laxative Pill

℞ Pulv. Aloes.....gr. j
Ext. Nuc. Vomicæ.....gr. $\frac{1}{4}$
Ext. Belladonnæ.....gr. $\frac{1}{6}$
Ext. Colocynth. Comp.....gr. ij
M.

Laxative Powder

℞ Sodii Chlorid.....gr. vj
Sodii Bicarb.....gr. xxiv
Sodii Sulph. Exsic.....℥j
Magnesii Sulph.....℥ss
M.

Podophyllum Compound Tablet

℞ Res. Podophylli.....gr. $\frac{1}{2}$
Ext. Nuc. Vomicæ.....gr. $\frac{1}{3}$
Pulv. Aloes.....gr. ij
Ol. Anisi.....♏ $\frac{1}{6}$
M.

Rhubarb and Soda Tablet

℞ Pulv. Rhei..... .....gr. j
Sodii Bicarb .... gr. v
Pulv. Ipecac.....gr. $\frac{1}{8}$
Olei Menthæ Pip..... ♏ $\frac{1}{20}$
M.

Rhubarb and Soda Compound Tablet No. 1

℞ Pulv. Rhei.....gr. ij
Sodii Bicarb..... ...gr. v
Pulv. Ipecac..... .....gr. $\frac{1}{4}$
Tinct. Nuc. Vomicæ.....♏v
Ol. Menthæ Pip..... ..... .♏ $\frac{1}{20}$
M.

Rhubarb and Soda Compound Tablet No. 2

℞ Pulv. Rhei.....gr. j
Sodii Bicarb.....gr. v
Pulv. Ipecac..... .....gr. $\frac{1}{8}$
Ext. Nuc Vomicæ..... .. ..gr. $\frac{1}{4}$
Ext. Rhamni Pursh. Fl.....♏v
Ol. Menthæ Pip.....♏ $\frac{1}{10}$
M.

Santonin Compound Powder

℞ Santonin .....gr. $\frac{1}{2}$
Hydrarg. Chlor. Mit.....gr. ij
M.

Sulphur Compound Powder

℞ Sulphur Præcip.
Magnesii Carb.
Magnesii Sulph..... .....aa gr. xv
Ol. Anisi.... ..... ♏j
M.

Aloin Tablet.....gr. $\frac{1}{10}$

Aloin Tablet.....gr. $\frac{1}{4}$

Aspidium, Oleoresin, Capsule .....gr. xv

Bismuth Subgallate Tablet..... gr. v

Calomel Tablet.....gr. $\frac{1}{20}$

Calomel Tablet..... .....gr. $\frac{1}{10}$

Calomel Tablet.....gr. $\frac{1}{4}$

Calomel Tablet.....gr. $\frac{1}{2}$

Cerium Oxalate Tablet.....gr. j

Cerium Oxalate Tablet.....gr. v

Naphthalin Tablet.... .....gr. v

Podophyllin Tablet... .....gr. $\frac{1}{10}$

GENITO-URINARY SYSTEM

Boric Acid Mixture

℞ Ac. Boric.....gr. vijss
Tinct. Hyoscyami.....℥xv
Aq. Destil.....q.s. ad fl. ℨss
M.

Buchu Mixture

℞ Ext. Buchu Fl.....℥xx
Potas. Citrat .....gr. x
Spir. Ætheris Nit.....fl. ℥ss
Aq. Destil.....q.s. ad fl. ℨss
M.

Copaiba Mixture (Lafayette)

℞ Copaibæ
Sp. Ætheris Nit.
Tinct. Lavandulæ Comp.....aa ℥vijss
Liq. Potassæ.....℥ij
Muc. Acaciæ.....℥ vijss
Aq. Destil.....q.s. ad fl. ℥j
M.

Cystitis Mixture

℞ Ac. Benzoici.....gr. x
Sodii Biborat.....gr. xx
Ol. Gaulth.....℥ ⅓
Aq. Destil.....q.s. ad fl. ℥j
M.

Diuretic Mixture

℞ Inf. Digitalis.....fl. ℥ss
Tinct. Hyoscyami.....ɱ|xv
Aq. Destil.....q.s. ad fl. ℥j
M.

Potassium Acetate Mixture

℞ Potas. Acetat.....gr. xx
Tinct. Hyoscyami.....ɱ|xv
Aq. Destil.....q.s. ad fl. ℥j
M.

Potassium Bicarbonate Mixture

℞ Potas. Bicarb.....℥ss
Tinct. Hyoscyami.....ɱ|xv
Aq. Destil.....q.s. ad fl. ℨss
M.

Potassium Citrate Mixture

℞ Potas. Citrat.....gr. xv
Syr. Limonis.....fl. ℥ss
Aq. Destil.....q.s. ad fl. ℥j
M.

Potassium & Sodium Tartrate Mixture

℞ Potas. et Sod. Tart.....℥j
Potas. Acetat.
Sod. Bicarb.....aa ℥ss
Aq. Destil.....q.s. ad fl. ℨss
M.

Salol Compound Pill

℞ Salol ....gr. iv
Potas. Permangan.....gr. j
M.

Salol Compound Powder

℞ Salol
Pulv. Ipecac. et Opii
Bismuthi Subnit.....aa gr. iij
M.

Sodium Compound Powder

℞ Sodii Salicylat.....gr. viij
Sodii Sulph.....gr. xv
Sodii Phosph.....q.s. ad ʒj
M.

Triticum Mixture (Taylor)

℞ Ext. Tritici Rep. Fl.
Ext. Uvæ Ursi Fl.....aa ♏xx
Liq. Potassæ.....♏viij
Tinct. Opii ....♏iss
Aq. Destil.....q.s. ad fl. ʒj
M.

Uterine Antispasmodic Mixture

℞ Antipyrini ..... gr. iij
Sodii Bromidi ..... gr. vij
Spir. Chloroformi ..... ♏ v
Tinct. Valerianæ ..... fl. ʒss
Aq. Destil. ..... q.s. ad fl. ʒj
M.

Uterine Tonic Mixture

℞ Ext. Ergotæ Fl.
Ext. Hydrastis Fl.
Tinct. Cinch. Comp.
Glycerini ..... aa ♏ xv
M.

Ergotin Tablet ..... gr. ¼

Urotropin Tablet ..... gr. v

NERVOUS SYSTEM

Chorea Mixture No. 1

℞ Liq. Potas. Arsenit ..... ♏ iij
Aq. Menthæ Pip ..... q.s. ad fl. ʒj
M.

Chorea Mixture No. 2

℞ Liq. Potas. Arsenit ..... ♏ iij
Chloral ..... gr. v
Aq. Menthæ Pip ..... q.s. ad fl. ʒj
M.

Enuresis Mixture

℞ Sodii Bromidi .....gr. vijss
Ext. Ergotæ Fl.
Tinct. Belladonnæ..... aa ℥vijss
Aq. Cinnamomi .....q.s. ad fl. ʒj
M.

Epileptic Mixture No. 1

℞ Sod. Bromidi
Potas. Bromidi.....aa gr. x
Ammonii Bromidi.....gr. v
Sodii Bicarb.....gr. ij
Liq. Potas. Arsenit.....℥j
Aq. Destil..... q.s. ad fl ʒj
M.

Epileptic Mixture No. 2

℞ Tinct. Belladonnæ..... .....℥ij
Potas. Bromidi ....gr. xv
Chloral.....gr. v
Aq. Destil.....q.s. ad fl. ʒj
M.

Sedative Mixture (Brown-Sequard)

℞ Potas. Iodidi.....gr. v
Potas. Bromidi
Ammon. Bromidi.....aa gr. x
Sodii Bicarb.....gr. iv
Tinct. Nuc. Vomicæ..... .....℥vj
Tinct. Gentianæ Comp.....℥viij
Aq. Destil.....q.s. ad fl. ʒij
M.

Valerianate Pill

℞ Quininæ Valerianat.
Zinci Valerianat.
Ammonii Valerianat..... aa gr. j
M.

Morphine and Atropine Tablet

℞ Morphinæ Sulph.....gr. $\frac{1}{8}$
Atropinæ Sulph.....gr. $\frac{1}{200}$
M.

Atropine Sulphate Tablet... .....gr. $\frac{1}{200}$

Atropine Sulphate Tablet.....gr. $\frac{1}{100}$

Belladonna, Extract, Tablet.... .....gr $\frac{1}{4}$

Hyoscine Hydrobromate Tablet.....gr. $\frac{1}{200}$

Hyoscine Hydrobromate Tablet.....gr. $\frac{1}{100}$

Hyoscyamine Tablet..... .....gr. $\frac{1}{200}$

Hyoscyamine Sulphate Tablet. .....gr. $\frac{1}{100}$

Morphine Sulphate Tablet.....gr. $\frac{1}{8}$

Morphine Sulphate Tablet.....gr. $\frac{1}{4}$

MISCELLANEOUS

1.—PREPARATIONS FOR RHEUMATISM, GOUT AND SYPHILIS

Iron Salicylate Mixture

℞ Ac. Salicylat.....gr. ij
Ferri Pyrophos.....gr. iij
Sodii Phos.....gr. xx
Aq. Destil.....q.s. ad fl. ℥ij
M.

Sodium Salicylate Mixture

℞ Sod. Salicylat.....gr. xx
Ext. Glycyrrhizæ.....gr. iij
Aq. Destil.....q.s. ad fl. ℥ij
M.

Salicylate and Iodide Mixture

℞ Sodii Salicylat.....gr. vijss
Potas. Iodidi.....gr. v
Ext. Gelsemii Fl.....♏j
Ext. Cimicifugæ Fl.....♏xx
Syr. Sarsaparillæ Comp.....q.s. ad fl. ℥ij
M.

Colchicum and Iodide Mixture

℞ Vin. Colchici Rad.....mlxx
Potas. Iodidi.....gr. x
Syr. Sarsaparillæ Comp.....fl. ʒj
Aq. Destil.....q.s. ad fl. ʒij
M.

Potassium Iodide Mixture

℞ Potas. Iodidi.....gr. x
Syr. Sarsaparillae Comp.....fl. ʒss
Aq. Destil.....q.s. ad fl. ʒij
M.

Biniodide Mixture No. 1

℞ Hydrarg. Iodidi Rub.....gr. $\frac{1}{32}$
Potas. Iodidi.....gr. x
Tinct. Cinch. Comp.....q.s. ad fl. ʒj
M.

Biniodide Mixture No. 2

℞ Hydrarg. Iodidi Rub.....gr. $\frac{1}{15}$
Potas. Iodidi.....gr. xij
Tinct. Cinch. Comp.....q.s. ad fl. ʒj
M.

Biniodide Mixture No. 3

℞ Hydrarg. Iodidi Rub ..... gr. $\frac{1}{10}$
Potas. Iodidi ..... gr. xvj
Tinct. Cinch. Comp ..... q.s. ad fl. ʒj
M.

Protiodide and Iron Pill

℞ Hydrarg. Iodidi Flav ..... gr. $\frac{1}{4}$
Ferri et Quininæ Cit ..... gr. iij
Tinct. Hyoscyami ..... gr. $\frac{1}{8}$
Ext. Gentianæ ..... q.s.
M.

Mercury, Corrosive Chloride, Tablet .. gr. $\frac{1}{30}$

Mercury, Corrosive Chloride, Tablet .. gr. $\frac{1}{30}$

Mercury, Corrosive Chloride, Tablet .. gr. $\frac{1}{10}$

Mercury, Red Iodide, Tablet ..... gr. $\frac{1}{25}$

Mercury, Yellow Iodide, Tablet ..... gr. $\frac{1}{6}$

Mercury, Yellow Iodide, Tablet ..... gr. $\frac{1}{4}$

Salicin Tablet ..... gr. v

Salol Tablet ..... gr. j

Salol Tablet ..... gr. v

2.—TONICS AND NUTRITIVES

Iron Chloride Mixture

℞ Tinct. Ferri Chlor.....mxv
Glycerini.....mxx
Aq. Destil.....q.s. ad fl. ʒj
M.

Iron and Ammonium Citrate Mixture

℞ Ferri et Ammonii Citrat..... gr. x
Liq. Potas. Arsenit.....mij
Syr. Aurant. Cort .....fl. ʒss
Aq. Destil . .. .q.s. ad fl. ʒj
M.

Iron and Potassium Tartrate Mixture

℞ Ferri et Potassii Tart.....gr. x
Glycerini .....mxx
Aq. Destil.....q.s. ad fl. ʒij
M.

Iron, Arsenic and Quinine Mixture

℞ Ferri et Quininæ Cit.....gr. v
Liq. Potas. Arsenit.....miij
Tinct. Gentianæ Comp.....q.s. ad fl. ʒij
M.

Iron and Strychnine Mixture

℞ Ferri Pyrophos..... gr. x
Strychninæ Sulph.....gr. ½
Tinct. Zingiber .....ɱj
Glycerini .....ɱv
Aq. Destil.....q.s. ad fl. ʒj
M.

Phosphoric Acid Mixture (Starr)

℞ Ac. Phosphoric. Dil.....ɱviij
Tinct. Nuc. Vomicæ.....ɱiv
Syr. Hypophos.....q.s. ad fl. ʒj
M.

Cod Liver Oil Emulsion

℞ Olei Morrhuæ.....fl. ʒj
Sacchari Alb..... .....gr. xv
Tinct. Lavandulæ Comp.....ɱj
Chondri ....q.s.
Aq. Destil.....q.s. ad fl. ʒij
M.

Cod Liver Oil Emulsion with Iron

℞ Olei Morrhuæ.....fl. ʒj
Syr. Ferri Iodidi.....ɱvijss
Chondri .....q.s.
Aq. Cinnamomi .....q.s. ad fl. ʒij
M.

Cod Liver Oil Emulsion with Hypophosphites

℞ Olei Morrhuæ.....fl. ʒj
Calcii Hypophos.....gr. ijss
Sodii Hypophos.
Potas. Hypophos.....aa gr. v
Glycerini .....fl. ʒss
Chondri.....q. s.
Aq. Destil.....q.s. ad fl. ʒij
M.

Cod Liver Oil Emulsion with Creosote

℞ Creosoti.....♏ij
Emulsi Ol. Morrhuæ.....q.s. ad fl. ʒij
M.

Iron Carbonate Compound Pill

℞ Massæ Ferri Carb. (Blaud).....gr. v
Hydrarg. Chlor. Corros.....gr. $\frac{1}{80}$
Strychninæ Sulph.....gr. $\frac{1}{60}$
Ac. Arsenosi.....gr. $\frac{1}{50}$
M.

Iron and Strychnine Tablet

℞ Ferri Redacti.....gr. j
Strychninæ Sulph.....gr. $\frac{1}{60}$
M.

Iron, Arsenic and Strychnine Tablet

℞ Ferri Redacti..... ...gr. j
Strychninæ Sulph..... ....gr. $\frac{1}{60}$
Ac. Arsenosi..... .....gr. $\frac{1}{100}$
M.

Iron and Strychnine Compound Tablet

℞ Ferri Redacti
Quininæ Sulph.....aa gr. $\frac{1}{2}$
Ac. Arsenosi.....gr. $\frac{1}{100}$
Strychninæ Sulph.....gr. $\frac{1}{200}$
M.

Arsenous Acid Tablet.....gr. $\frac{1}{100}$

Arsenous Acid Tablet.....gr. $\frac{1}{60}$

Arsenous Acid Tablet..... gr. $\frac{1}{50}$

Arsenous Acid Tablet.....gr. $\frac{1}{40}$

Arsenous Acid Tablet.....gr $\frac{1}{30}$

Arsenous Acid Tablet.....gr. $\frac{1}{20}$

Manganese Dioxide Tablet.....gr. j

Nux Vomica, Extract, Tablet..... gr. $\frac{1}{4}$

Strychnine Sulphate Tablet.....gr. $\frac{1}{100}$

Strychnine Sulphate Tablet.....gr. $\frac{1}{60}$

Strychnine Sulphate Tablet.....gr. $\frac{1}{50}$

Strychnine Sulphate Tablet.....gr. $\frac{1}{40}$

Strychnine Sulphate Tablet.....gr. $\frac{1}{30}$

Sulphurated Lime Tablet.....gr. $\frac{1}{4}$

Sulphurated Lime Tablet.....gr. $\frac{1}{2}$

Thyroid Extract Tablet.....gr. v

3.—ANALGESICS, ANTIPYRETICS AND ANTIPERIODICS

Acetanilid Tablet.....gr. iij

Acetanilid Tablet.....gr. v

Antipyrine Tablet.....gr. v

Phenacetine Tablet.....gr. v

Quinine Sulphate Pill.....gr. ij

Quinine Sulphate Pill.....gr. iij

Quinine Sulphate Pill.....gr. v

Phenacetine and Salol Tablet

℞ Phenacetin
Salol.....aa gr. ijss
M.

Antiperiodic Capsule No. 1

℞ Tinct. Antiperiod. (Warburg) cum Aloe...℥j

Antiperiodic Capsule No. 2

℞ Tinct. Antiperiod. (Warburg) sine Aloe...℥j

Part II

Preparations for External and Local Use

LIQUIDS

Belladonna Liniment

℞ Tinct. Belladonnæ.....fl. ℥j
Tinct. Aconiti
Chloroformi.....aa fl. ℥ss
Lin. Saponis .....q.s. ad fl. ℥iv
M.

Drying Liniment (Pick)

℞ Tragacanthæ .....gr. xxiv
Glycerini ....♏x
Aquæ Bul.....q.s. ad fl. ℥j
M.

Stimulating Liniment

℞ Aq. Ammoniæ
Tinct. Capsici. ..... aa fl. ℥j
Lin. Saponis.....q.s. ad fl. ℥iv
M.

Turpentine Liniment (Stokes)

℞ Ol. Terebinth ..... fl. ℥jss
Ac. Acetic... ..... fl. ℥iij
Ol. Limonis ..... ℿxlv
Vitelli.. ..... q.s.
Aquæ..... q.s. ad fl. ℥iv
M.

Alum Gargle

℞ Aluminis ..... ℥ss
Potas. Chlorat.. ..... ℥j
Glycerini ..... fl. ℥ss
Aquæ..... q.s. ad fl. ℥iv
M.

Hydrochloric Acid Gargle

℞ Ac. Hydrochlor ..... ℿviij
Potas. Chlorat..... ℥ij
Syr. Limonis .... fl. ℥ij
Glycerini ....fl. ℥ss
Aquæ..... q.s. ad fl. ℥iv
M.

Iron Gargle

℞ Potas. Chlorat..... ℥j
Tinct. Ferri Chlor..... fl. ℥j
Glycerini ..... fl. ℥j
Aquæ..... q.s. ad fl. ℥iv
M.

Myrrh Gargle

℞ Tinct. Myrrhæ ..... ♏xv
Hydrarg. Chlor. Corros. ..... gr. ij
Aquæ. ..... q.s. ad fl. ℥iv
M.

Potassium Chlorate Gargle

℞ Potas. Chlorat ..... ℥j
Glycerini ..... fl. ℥ss
Aquæ ..... q.s. ad fl. ℥iv
M.

Salicylic Acid Gargle

℞ Ac. Salicyl ..... ℥ss
Sodii Biborat ..... ℥j
Tinct. Myrrhæ ..... ♏xv
Aquæ ..... q.s. ad fl. ℥iv
M.

Tannic Acid Gargle No. 1

℞ Ac. Tannic.
Aluminis ..... aa ℥ss
Glycerini ..... fl. ℥ss
Aquæ ..... q.s. ad fl. ℥iv
M.

Tannic Acid Gargle No. 2

℞ Ac. Tannic.....gr. xv
Potas. Chlorat.....ʒij
Aquæ.....q.s. ad fl. ʒiv
M.

Zinc Chloride Gargle

℞ Zinci Chlor .....gr. x
Glycerini..... fl. ʒij
Aq. Rosæ..... ..... fl. ʒss
Aquæ.....q.s. ad fl. ʒiv
M.

Aluminum Acetate Solution

℞ Aluminis.....gr. xx
Plumbi Subacet..... ....gr. c
Aquæ .....q.s. ad fl. ʒiv
M.

Antiseptic Solution

℞ Ol. Eucalypt.
Ol. Menthæ Pip.
Ol. Gaultheriæ..... aa ♏ $\frac{3}{4}$
Thymol.....gr. iij
Ac. Benzoic.
Ac Boric.....aa gr iv
Spir. Vini Rect..... fl. ʒj
Glycerini..... .... fl. ʒss
Aquæ.....q.s. ad fl. ʒiv
M.

Boro=Salicylic Solution

℞ Ac. Boric..... gr. xij
Ac. Salicyl..... gr. ij
Aquæ..... .....q.s. ad fl. ℥iv
M.

Carbolic Compound Solution (Dobell)

℞ Ac. Carbolic.....gr. iv
Sodii Bicarb.
Sodii Biborat.....aa gr. viij
Glycerini .....fl. ℥ss
Aquæ..... ..... q.s. ad fl. ℥iv
M.

Silver Nitrate Compound Solution

℞ Argenti Nitratis..... ..gr. x
Spir. Ætheris Nit.....fl. ℥j
M

Atropine Collyrium

℞ Atropinæ Sulph..... .....gr. ij
Aquæ Destil.... ..... .fl. ℥j
M.

Zinc Collyrium

℞ Zinc Sulph.....gr. ij
Aquæ Destil.....fl. ℥j
M.

Alopecia Wash No. 1

℞ Hydrarg. Chlor. Corros.....gr. ij
Tinct. Canthārid.....fl. ʒj
Tinct. Capsici .....fl. ʒss
Aquæ.....q.s. ad fl. ʒiv
M.

Alopecia Wash No. 2

℞ Hydrarg. Chlor. Corros.....gr. ij
Resorcini .....ʒj
Ol. Ricini.....fl. ʒij
Spir. Vini Rect.....q.s. ad fl. ʒiv
M.

Astringent Wash

℞ Aluminis
Zinci Sulph.
Sodii Biborat.
Ac. Carbolic.....aa ʒj
Aquæ.....q.s. ad fl. ʒiv
M.

Cade Compound Wash

℞ Ol. Cadin.....fl. ʒvj
Ol. Ricini.....fl. ʒivss
Ac. Salicyl.....ʒj
Spir. Vini Rect.....q.s. ad fl. ʒiv
M.

Calamine Wash

℞ Calaminæ Præp.
Zinci Oxidi.....aa ʒj
Glycerini..... fl. ʒij
Aquæ.....q.s. ad fl. ℥iv
M.

Iodine Compound Wash

℞ Tinct. Iodi
Tinct. Myrrhæ. .....aa fl. ʒi
M.

Lead and Opium Wash

℞ Liq. Plumbi Subacet.....♏xlv
Tinct. Opii.....fl. ʒj
Aquæ.....q.s. ad fl. ℥iv
M.

Resorcin Wash

℞ Resorcini.....ʒvj
Glycerini.....♏xl
Spir. Vini Rect.
Aquæ .....aa q.s. ad fl. ℥iv
M.

Zinc Oxide Wash

℞ Zinci Oxidi.....3jss
Ac. Carbolic.....gr. xlv
Glycerini.....fl. 3ijss
Aquæ.....q.s. ad fl. ℥iv
M.

Zinc and Magnesia Wash

℞ Zinci Oxidi
Magnesii Carbonat.....aa 3j
Aquæ.....fl. ℥iv
M.

Black Wash

℞ Hydrarg. Chlor. Mit.....3ss
Liq. Calcis.....fl. ℥iv
M.

Red Wash

℞ Zinci Sulph.....gr. x
Tinct. Lavandulæ Comp.....♏xv
Aquæ.....q.s. ad fl. ℥iv
M.

White Wash

℞ Zinci Sulph.
Potas. Sulphid.....aa 3j
Aquæ.....q.s. ad fl. ℥iv
M.

Yellow Wash

℞ Hydrarg. Chlor. Corros.....gr. iv
Liq. Calcis.....fl. ʒiv
M.

Alum and Zinc Injection (Ultzmann)

℞ Aluminis
Zinci Sulph.....aa gr. ij
Aquæ..... q.s. ad fl. ʒiv
M.

Lead and Zinc Injection

℞ Plumbi Subacet.
Zinci. Sulph..... ..... aa gr. viij
Tinct. Opii.. ... . fl. ʒss
Aquæ.....q.s. ad fl. ʒiv
M.

Creosote Inhalant

Creosoti
Chloroformi
Spir. Vini. Rect.....aa fl. ʒi
M.

Compound Benzoin Inhalant

℞ Menthol ..... ℥ss
Tinct. Benzoini Comp..... ...q.s. ad fl. ʒj
M.

Terebene Inhalant

℞ Terebeni..... ♏xl
Magnesii Carb..... .....℥j
Aquæ..... .....q.s. ad fl. ʒj
M.

Tincture of Iodine (Churchill)

℞ Iodi.....℥j
Potas. Iodidi .....℥ij
Spir. Vini Rect.....fl. ʒij
Aquæ.....q.s. ad fl. ʒiv
M.

Compound Tincture of Green Soap

℞ Sapon. Virid .....ʒj
Ol. Cadin.
Spir. Vini Rect..... aa fl. ʒj
M.

OINTMENTS

Balsam of Peru Ointment

℞ Bals. Peruv ..... fl. ʒij
Petrolati ..... q.s. ad ℥j
M.

Bismuth Compound Ointment

℞ Bismuthi Subnit.
Zinci Oxidi
Amyli ..... aa gr. xlviij
Petrolati ..... q.s. ad ℥j
M.

Boric Acid Ointment

℞ Ac. Borici ..... ʒj
Petrolati ..... q.s. ad ℥j
M.

Cade Compound Ointment

℞ Ol. Cadin ..... ♏xlv
Ung. Zinci Oxidi ..... q.s. ad ℥j
M.

Camphor Compound Ointment

℞ Camphoræ ..... gr. xxxij
Eucalyptol ..... fl. ʒss
Ac. Borici ..... gr. xxiv
Petrolati ..... q.s. ad ʒj
M.

Chrysarobin Ointment

℞ Chrysarobin ..... gr. xlviij
Petrolati ..... q.s. ad ʒj
M.

Chrysarobin Compound Ointment

℞ Chrysarobin
Ac. Salicyl ..... aa gr. xxiv
Petrolati ..... q.s. ad ʒj
M.

Gall and Opium Ointment

℞ Gallæ ..... ʒjss
Pulv. Opii ..... ʒss
Petrolati ..... q.s. ad ʒj
M.

Guaiacol Ointment

℞ Guaiacol ..... gr. xxiv
Petrolati ..... q.s. ad ʒj
M.

Ichthyol Ointment

℞ Ichthyol.....♏xlviij
Petrolati.....q.s. ad ℥j
M.

Iodine Ointment No. 1

℞ Iodi. .....gr. xx
Potas. Iodidi..... ... ...gr. iv
Aquæ.....♏iv
Petrolati..... .....q.s. ad ℥j
M.

Iodine Ointment No. 2

℞ Iodi..... .....ʒj
Ol. Anserini.....q.s. ad ℥j
M.

Iodoform Ointment

℞ Iodoform .....ʒss
Petrolati.....q.s. ad ℥j
M.

Lead and Opium Ointment

℞ Plumbi Iodidi
Pulv. Opii .....aa ʒj
Petrolati.....q.s. ad ℥j
M.

Resorcin Ointment

℞ Resorcin..... .....3j
Petrolati.. .....q.s. ad ℥j
M.

Salicylic Acid Ointment 5%

℞ Ac. Salicyl... .. .. gr. xxiv
Petrolati.....q.s. ad ℥j
M.

Salicylic Acid Ointment 12½%

℞ Ac. Salicyl.....3j
Petrolati..... q.s. ad ℥j
M.

Starch Ointment (Lassar)

℞ Amyli
Zinci Oxid.....aa 3ij
Petrolati.....q.s. ad ℥j
M.

Starch Compound Ointment

℞ Ac. Salicyl.....gr. xv
Zinci Oxid.
Amyli.....aa 3ij
Aq. Menth. Pip.....q.s. ad ℥j
M. Petrolatu

Sulphur Ointment (Wilkinson)

℞ Sulphur. Sublimat..... .....gr. xcvj
Ol. Cadin..... .....ɱxcvj
Cretæ Præparat..... ..... ʒj
Sapon. Virid.
Adipis.....aa q.s. ad ℥j
M.

Sulphur Compound Ointment

℞ Sulphur. Sublimat..... .....ʒj
Ac. Carbolic..... .... ʒss
Lanolin.....ʒvj
Ol. Olivæ.....q.s. ad ℥j
M.

POWDERS

Bismuth and Alum Powder

℞ Bismuthi Subnit.
Aluminis.....aa ℥ss
M.

Bismuth and Calomel Powder

℞ Bismuthi Subnit.
Hydrarg. Chlor. Nit.....aa ℥ss
M.

Compound Soda Powder

℞ Sodii Bicarb
Sodii Biborat.
Sodii Chlorid.....aa ℥ss
M.

Tannic Acid Powder

℞ Ac. Tannic.....gr. xlviij
Zinci Oxidi.....q.s. ad ℥j
M.

Zinc-Carbolic Powder

℞ Ac. Carbolic.....gr. xv
Zinci Oxidi
Amyli.....aa ℥ss
M.

Zinc and Starch Powder

℞ Zinci Oxidi
Amyli.....aa ℥ss
M.

SUPPOSITORIES

Belladonna Suppository

℞ Ext. Belladonnæ ..... gr. ¼
Ol. Theobromat..... ..... q.s.
M.

Belladonna and Cannabis Suppository

℞ Ext. Belladonnæ
Ext. Cannabis Ind..... aa gr. ¼
Ol. Theobromat..... q.s.
M.

Belladonna and Morphine Suppository

℞ Ext. Belladonnæ..... gr. ⅛
Morphine Sulph..... gr. ¼
Ol. Theobromat..... q.s.
M.

Iodoform and Tannic Acid Suppository

℞ Iodoform ..... gr. ij
Ac. Tannic ..... gr. iij
Ol. Theobromat..... q.s.
M.

Opium Suppository

℞ Pulv. Opii..... gr. j
Ol. Theobromat..... q.s.
M.

COLUMBIA UNIVERSITY LIBRARIES

This book is due on the date indicated below, or at the expiration of a definite period after the date of borrowing, as provided by the library rules or by special arrangement with the Librarian in charge.

DATE BORROWED	DATE DUE	DATE BORROWED	DATE DUE
C28 (1170) 50M			

COLUMBIA UNIVERSITY LIBRARIES
0050061089

M-RS125
C72
1901

. Col-
s and
ilt

formulary.

D TO
U. BINDERY
. BINDERY

M-RS125
C72
1901